

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIGURE 1


1 2 3 4 5 6 7 8



β-actin

SWB
#11

FIGURE 2



IL-10----

FIGURE 3




FIGURE 5A

1 2 3 4 5




FIGURE 5B

1 2 3 4 5





FIGURE 9



CELLS added to C57BL/6 RESPONDER SPLEEN CELLS

FIGURE 12





FIGURE 17



Monoclonal antibodies added to culture

Survival post EL4 or C1498 tumor inoculation in C57BL/6 bone marrow transplant recipients




FIGURE 19

Role of CD4⁺/CD8⁺ cells in tumor immunity in bone marrow transplant recipients





FIGURE 21

CD200Fc reverses tumor protection in C3H recipients of C57BL/6 bone marrow



Anti-CD200 reveals protection in mice preimmunized with CD86-tumor cells




FIGURE 24

CD200:CD200^{r+} interactions block tumor immunity in BL/6 marrow recipients





FIGURE 26

CD200Fc interacts with anti-CD4/CD8 to block tumor immunity

a)



b)




FIGURE 27

CD200Fc reverses protection from early mortality in anti-CD4 treated C57BL/6 mice immunized with CD80-transfected EL4 cells





FIGURE 28


FIGURE 29A and B



A

B


FIGURE 30A and B



A

B

FIGURE 31A and B



B

A